

Pro BRAVIA BZ30L

Professional 24/7 Portrait/Tilt 4K HDR display with Sony X1 processing, Pro-Mode, Airplay, and Chromecast capability as well as a complete range of sizes



Overview

Made for business with easy content sharing and customisation

Slim, easy-to-use BRAVIA BZ30L Series professional displays add impact to all your visual communications in retail, corporate and educational environments. Superb 4K HDR picture quality is complemented by flexible customisation options and pro-friendly features for easy integration, setup and content sharing in today's connected AV environments.

Latest Sony picture technologies to impress every audience

Available in screen sizes from 43"-98", BRAVIA BZ30L Series offers a generous 440 nit screen brightness. Advanced Sony picture processing technologies ensure your content looks its very best. The panel's extra-wide viewing angle ensures that everyone in the room can enjoy clear, bright images wherever they're positioned.

Features

Richer, more natural colour

Sony's power-packed 4K HDR Processor X1 and TRILUMINOS Pro technology faithfully reproduces a phenomenal range of rich, true-to-life colours.

Finer detail

4K X-Reality PRO processing upscales pictures closer to true 4K quality. Images are sharpened and refined in real time, revealing extra detail from lower-resolution picture sources.

Smoother movement

Motionflow XR ensures smoother, more natural reproduction of rapidly-moving onscreen images.

Installation flexibility to suit every environment

The sleek, minimal design of BRAVIA BZ30L Series brings impeccable style to any business environment. The display's elegant lines are further enhanced by practical touches for seamless integration in retail stores, colleges and corporate workspaces.

Wall-Mount Adjuster

BRAVIA comes supplied with a Wall-Mount Adjuster, giving extra flexibility for mounting the display centrally in portrait or landscape orientation.

Side mounted interfaces

Signal connections, networking and other interfaces are conveniently side mounted for easy installation and access when the display's in portrait position.

Discreet logo

The Sony logo is discreetly positioned on the edge of the display's beautifully slim 20mm bezel – with nothing distracting your audience from immersive images.

Landscape, Portrait and Tilt

Install BRAVIA in portrait or landscape orientation to suit any corporate or retail space. The display can also be tilted at an angle for even greater flexibility.

Round the clock reliability

Business never sleeps: BRAVIA is engineered for dependable 24/7 operation in the most challenging corporate and commercial environments.

Special settings for professional use

Pro Settings mode makes doing business even easier, allowing you to customise BRAVIA settings and operating modes to suit the demands of corporate or retail environments. Disable input or remote control functions, schedule on/off times, remove labels and block buttons to avoid tampering when the screen's being used in public spaces. Customise and store display settings, then copy them easily from display to display via USB flash memory.

Get great pictures fast

Forget fiddling with display settings. One Step Setting offers presets tuned to your environment including meeting room, vivid signage, natural signage and graphics. Just pick a preset: BRAVIA instantly configures picture mode, input, control settings and more.

Easy multi-screen setup

Configuring multiple screens for large display applications is easier than ever. The Multi Display Setting (MDS) app helps you create stunning video walls with multiple BRAVIA displays 'tiled' together.

Easy integration

BRAVIA BZ30L Series is made for today's connected world. There's seamless support for today's leading automation and control platforms, while open APIs simplify integration with other vendor solutions.

Signage made simple

Informing and guiding visitors with digital signage in retail stores and corporate spaces has never been simpler. Built-in support for HTML5 makes it easy to display interactive signage content on BRAVIA without the need for a dedicated set-top box, media player or PC. On-board BRAVIA Signage Free (BSF) software automatically plays out HTML content, video and photos when a USB stick memory is slipped into BRAVIA. It's that simple.

Wireless screen mirroring

Easily mirror content wirelessly from handheld device onto BRAVIA with in-built support for Apple AirPlay and Google Chromecast.

Meet more easily

Get Google Meet from Google Play Store, and pair BRAVIA with a compatible webcam for easy video meetings.

With BRAVIA, sustainability in every scene

With growing demand for ever larger display screens, there is also the risk of greater resource and energy use. However, Sony's sustainability commitments are realizing efficiency gains from product development right through to customers viewing screens.

Specifications

General Features

Screen Size	85"	
	75"	
	65"	
	55"	
	50"	
	//2"	

General Features	
	(Screen size varies by country, please check with your local Sony authorized dealer for availability)
Brightness (cd/m²)	440
Contrast Ratio	85" Screen: 6000:1, 75" Screen: 1200:1, 65" Screen: 1200:1, 55" Screen: 1200:1, 50" Screen: 5000:1, 43" Screen: 1200:1
Dynamic Contrast Ratio	85" Screen: 300,000:1 75" Screen: 300,000:1, 65" Screen: 300,000:1, 55" Screen: 300,000:1, 50" Screen: 300,000:1, 43" Screen: 400,000:1
Response Time (Gray to gray, Typical, ms)	85" Screen: 8.0 75" Screen: 8.0 65" Screen: 8.0 55" Screen: 8.0 50" Screen: 9.5 43" Screen: 8.0
Display Resolution (H x V, pixels)	3840 x 2160
HDR (High Dynamic Range) Compatibility	Yes(HDR10,HLG,Dolby Vision)
Aspect Ratio	16:9
Portrait/Tilt Compatibility	Yes
Display Features	
Dimming Type	Frame Dimming
Display Device	LCD
	85": VA 75": IPS

Display Features	
Dimming Type	Frame Dimming
Display Device	LCD
	85": VA
	75": IPS
Danel Type	65": IPS
Panel Type	55": IPS
	50": VA
	43": IPS
Backlight Type	Direct LED
TRILUMINOS Display	TRILUMINOS PRO
Colour Gamut (DCI-P3)	92%
Picture Processor	4K HDR Processor X1
Operation Time	24/7

Display Features	
Deep Black Non-Glare Coating	No
Haze (%)	85" Screen: 2%, 75" Screen: 1%, 65" Screen: 1%, 55" Screen: 1%, 50" Screen: 1%, 43" Screen: 1%
Viewing Angle (Right/Left)	178 (89 / 89) degree (CR >10)
Viewing Angle (Up/Down)	178 (89 / 89) degree (CR >10)
Video Specification	
Video Processing	4K X-Reality PRO
Motion Enhancer	Motionflow XR 240 (Native 60Hz)
HDMI Signal	4096x2160p(24,60Hz), 3840x2160p(24,30,60Hz), 1080p(24,30,60Hz), 1080i(60Hz), 720p(24,30,60Hz), 480p
Audio Specification	
Audio Specification Speaker Position	Down Firing
	Down Firing 10W + 10W
Speaker Position	
Speaker Position Audio Power Output	
Speaker Position Audio Power Output Professional Features	10W + 10W
Speaker Position Audio Power Output Professional Features Pro Mode	10W + 10W Yes
Speaker Position Audio Power Output Professional Features Pro Mode HDMI Auto Wake-Up	10W + 10W Yes Yes
Speaker Position Audio Power Output Professional Features Pro Mode HDMI Auto Wake-Up HTML5 Platform	10W + 10W Yes Yes Yes
Speaker Position Audio Power Output Professional Features Pro Mode HDMI Auto Wake-Up HTML5 Platform Multicast/IPTV	Yes Yes Yes Yes Yes
Speaker Position Audio Power Output Professional Features Pro Mode HDMI Auto Wake-Up HTML5 Platform Multicast/IPTV Operating System	Yes Yes Yes Yes Android TV
Speaker Position Audio Power Output Professional Features Pro Mode HDMI Auto Wake-Up HTML5 Platform Multicast/IPTV Operating System On-board Storage (GB)	Yes Yes Yes Yes Android TV
Speaker Position Audio Power Output Professional Features Pro Mode HDMI Auto Wake-Up HTML5 Platform Multicast/IPTV Operating System On-board Storage (GB)	Yes Yes Yes Yes Android TV 16GB

Convenience Features	
USB Playback Codecs	MPEG1:MPEG1 / MPEG2PS:MPEG2 / MPEG2TS(HDV,AVCHD):MPEG2,AVC / MP4(XAVCS):AVC,MPEG4,HEVC / AVI:Xvid,MotionJpeg / ASF(WMV):VC1 / MOV:AVC,MPEG4,MotionJpeg / MKV:Xvid,AVC,MPEG4,VP8.HEVC / WEBM:VP8 / 3GPP:MPEG4,AVC / MP3 / ASF(WMA) / LPCM / WAV / MP4AAC / FLAC / JPEG
On Screen Clock	Yes
Sleep Timer	Yes
On/Off Timer	Yes
Chromecast Built-In	Yes
Apple AirPlay	Yes
Control Specifications	
IP Control	Yes
RS-232C Control	Yes
HDMI-CEC	Yes
Inputs and Outputs	
HDCP	HDCP2.3 (for HDMI1/2/3/4)
Composite Video Input (s)	1 (Side, Mini jack)
HDMI Inputs Total	4 (4 Side)
Analog Audio Input (s) (Total)	1 (Side Analog Conversion)
Digital Audio Output (s)	1 (Side)
USB Ports	2 (Side)
Ethernet Inputs	1 (Side)
Design Features	
VESA® Hole Spacing Compatible	Yes

Design Features	
VESA® Hole Pitch (W x H)	85" Screen: 400 x 400 mm / 15 3/4 x 15 3/4 inch, 75" Screen: 300 x 300 mm / 11 7/8 x 11 7/8 inch, 65" Screen: 300 x 300 mm / 11 7/8 x 11 7/8 inch, 55" Screen: 300 x 300 mm / 11 7/8 x 11 7/8 inch, 50" Screen: 200 x 200 mm / 7 7/8 x 7 7/8 inch, 43" Screen: 200 x 200 mm / 7 7/8 x 7 7/8 inch

Environment Specification	ons
Rated Power Consumption	85" Screen: 248 W, 75" Screen: 306 W, 65" Screen: 230 W, 55" Screen: 202 W, 50" Screen: 140 W, 43" Screen: 103 W
Power Consumption (in Standby)	0.5 W
Dynamic Backlight Control	Yes
Power Saving Mode	Yes

Measurements	
Dimension of TV without Stand (W x H x D)	85" Screen: 1899 x 1089 x 71 mm / 74 7/8 x 4 7/8 x 2 7/8 inch, 75" Screen: 1686 x 969 x 72 mm / 66 1/2 x 38 1/4 x 2 7/8 inch, 65" Screen: 1462 x 842 x 71 mm / 57 5/8 x 33 1/4 x 2 7/8 inch, 55" Screen: 1243 x 721 x 71 mm / 49 x 28 1/2 2 7/8 inch, 50" Screen: 1126 x 653 x 70 mm / 44 3/8 x 25 3/4 x 2 7/8 inch, 43" Screen: 972 x 567 x 70 mm / 38 3/8 x 22 3/8 x 2 7/8 inch
Dimension of TV with Stand (W x H x D)	85" Screen: no stand, 75" Screen: no stand, 65" Screen: 1462 x 912 x 338 mm / 57 5/8 x 3 x 13 3/8 inch, 55" Screen: 1243 x 787 x 338 mm / 49 x 31 x 13 3/8 inch, 50" Screen: 1126 x 718 x 286 mm / 44 3/8 x 2 3/8 x 11 3/8 inch, 43" Screen: 972 x 632 x 286 mm / 38 3/8 x 25 11 3/8 inch

Measurements

85" Screen: 2036 x 1239 x 258 mm / 80 1/4 x

48 7/8 x 10 1/4 inch,

75" Screen: 1824 x 1114 x 187 mm / 71 7/8 x

43 7/8 x 7 3/8 inch,

65" Screen: 1588 x 965 x 184 mm / 62 5/8 x 38

Dimension of Package Carton x 7 1/4 inch,

 $(W \times H \times D)$

() 1/4 111011,

55" Screen: 1362 x 840 x 160 mm / 53 5/8 x 33

1/8 x 6 3/8 inch.

50" Screen: 1240 x 782 x 141 mm / 48 7/8 x 30

7/8 x 5 5/8 inch,

43" Screen: 1070 x 695 x 141 mm / 42 1/4 x 27

3/8 x 5 5/8 inch

Weight

85" Screen: 44.5 kg / 98.1 lb, 75" Screen: 31.7 kg / 69.9 lb,

Weight of TV without Stand

65" Screen: 21.2 kg / 46.7 lb, 55" Screen: 15.7 kg / 34.6 lb, 50" Screen: 12.3 kg / 27.1 lb, 43" Screen: 10 kg / 22.1 lb

Weight of TV with Stand

75" Screen: no stand, 65" Screen: 22.1 kg / 48.7 lb, 55" Screen: 16.6 kg / 36.6 lb,

85" Screen: no stand,

50" Screen: 10.6 kg / 30.6 lb, 50" Screen: 12.9 kg / 28.5 lb, 43" Screen: 10.5 kg / 23.2 lb

Weight of Package Carton (Gross) 85" Screen: 62 kg / 136.6 lb, 75" Screen: 43 kg / 94.8 lb, 65" Screen: 30 kg / 66.1 lb, 55" Screen: 23 kg / 50.7 lb, 50" Screen: 17 kg / 37.5 lb, 43" Screen: 14 kg / 30.9 lb

Related products









FW-98BZ30L

FW-85BZ30L 85" 4K HDR professional display with 24/7 operation,

display with 24/7 operation, portrait/tilt, Pro-Mode, Airplay and Chromecast



75" 4K HDR professional display with 24/7 operation, portrait/tilt, Pro-Mode, Airplay and Chromecast

FW-65BZ30L

65" 4K HDR professional display with 24/7 operation, portrait/tilt, Pro-Mode, Airplay and Chromecast







FW-55BZ30L


55" 4K HDR professional display with 24/7 operation, portrait/tilt, Pro-Mode, Airplay and Chromecast

FW-50BZ30L

50" 4K HDR professional display with 24/7 operation, portrait/tilt, Pro-Mode, Airplay and Chromecast

FW-43BZ30L

43" 4K HDR professional display with 24/7 operation, portrait/tilt, Pro-Mode, Airplay and Chromecast





© 2004 - 2025 Sony Corporation. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Features and specifications are subject to change without notice. The values for mass and dimension are approximate. All trademarks are the property of their respective owners.