

Philips Monitor Full HD LCD monitor

1000 series 27" (68.6 cm) 1920 x 1080 (Full HD)

27E1N1100AW

Work in style

Experience productivity in Full HD. This monitor is equipped with essentials for the workplace, such as LowBlue mode to protect the eyes, IPS LED wide view technology for high-quality imagery, and 1ms MPRT for sharp visuals.

Features designed for you

- · EasySelect menu toggle key for quick on-screen menu access
- · EasyRead mode for a paper-like reading experience
- · Cable management reduces cable clutter for neat workspace
- LowBlue mode and Flicker-free easy-on-the eyes viewing

Easy to experience

- · Built-in stereo speakers for multimedia
- VESA mount for convenience
- HDMI ensures universal digital connectivity

Superb Picture Quality

- 100Hz refresh rates for ultra-smooth images
- 16:9 Full HD display for crisp detailed images
- IPS LED wide view technology for image and color accuracy
- 1ms (MPRT) fast response for crisp image and smooth gameplay



27E1N1100AW/75

Full HD LCD monitor 1000 series 27" (68.6 cm), 1920 x 1080 (Full HD)


Highlights

100Hz Fast refresh



This Philips display refreshes the screen image up to 100 times per second which makes this monitor much faster than a standard display. With a 100Hz frame rate, gamers are able to find those critical images on the screen that show enemy movement in an ultra-smooth motion so that they are easily targetable.

IPS technology



IPS displays use an advanced technology which gives you extra wide viewing angles of 178/178 degree, making it possible to view the display from almost any angle. Unlike standard TN panels, IPS displays gives you remarkably crisp images with vivid colors, making it ideal not only for Photos, movies and web browsing, but also for professional applications which demand color accuracy and consistent brightness at all times.

1ms MPRT fast response



MPRT (motion picture response time) is more intuitive way to describe the response time, which directly refers the duration from seeing EasyRead mode

front of a monitor.



gaming monitor with 1 ms MPRT effectively eliminates smearing and motion blur, delivers shaper and precise visuals to enhance gaming

experience. Best choice for playing thrilling and

Picture quality matters. Regular displays deliver

quality, but you expect more. This display features enhanced Full HD 1920 x 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colors expect a true to life picture.

LowBlue Mode & Flicker-free

Our LowBlue Mode and Flicker-free

technology have been developed to reduce eye

strain and fatigue often caused by long hours in

Full HD

twitch-sensitive games.

16:9 Full HD display

EasyRead mode for a paper-like reading experience





The discreetly placed EasySelect Menu Toggle Key allows you to make quick and easy adjustments to monitor settings in the On-Screen Display menu.

Cable management



Cable management is an intimate design that maintains tidy workspace by organizing cables and wires required for the operation of a display device.

HDMI Ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. A HDMI cable enables high-quality digital video and audio all transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

















Full HD

Specifications

Picture/Display

- Panel Size: 27 inch / 68.6 cm
- Aspect ratio: 16:9
- LCD panel type: IPS technology
- Backlight type: W-LED system
- Pixel pitch: 0.3114 x 0.3114 mm
- Brightness: 300 cd/m²
- Display colors: 16.7 M • Color gamut (typical): DCI-P3:80.49%, NTSC
- 88.37%, Adobe RGB 86.85%, sRGB: 101.8%*
- Contrast ratio (typical): 1500:1
- SmartContrast: Mega Infinity DCR
- Response time (typical): 4 ms (Gray to Gray)*
- Viewing angle: 178° (H) / 178° (V), @ C/R > 10
- Picture enhancement: SmartImage
- Maximum resolution: 1920 x 1080 @ 100 Hz
- Effective viewing area: 597.888 (H) x 336.312 (V) • Scanning Frequency: VGA: 30 KHz - 85 KHz (H) / 48 Hz - 60 Hz (V); HDMI: 30 KHz - 115 KHz (H) / 48 Hz - 100 Hz (V)
- sRGB
- Flicker-free
- Pixel Density: 81.59 PPI
- LowBlue Mode
- Display Screen Coating: Anti-Glare, 3H, Haze 25%
- MPRT: 1 ms
- EasyRead
- AMD FreeSync[™] technology

Connectivity

- Signal Input: VGA x 1, HDMI 1.4 x 1
- Sync Input: Separate Sync
- Audio (In/Out): Audio out, Audio-in
- HDCP: HDCP 1.4 (HDMI)

Convenience

- Built-in Speakers: 2 W x 2
- Plug & Play Compatibility: DDC/Cl, Mac OS X, sRGB, Windows 11 / 10 / 8.1 / 8 / 7
- · User convenience: Power On/Off, Menu, Volume, Input, SmartImage
- OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian
- Other convenience: Kensington lock, VESA mount

(100x100mm)

Stand

• Tilt: -5/20 degree

Power

- Power supply: Internal, 100-240VAC, 50-60Hz
- Off mode: 0.3 W (typ.)
- On mode: 18.8 W (typ.)
- Standby mode: 0.5 W (typ.)
- · Power LED indicator: Operation White, Standby mode- White (blinking)

Dimensions

- Packaging in mm (WxHxD): 690 x 455 x 141 mm
- Product without stand (mm): 617 x 357 x 46 mm
- Product with stand(max height): 617 x 457 x 211 mm

Weight

- Product with packaging (kg): 6.62 kg
- Product with stand (kg): 4.00 kg
- Product without stand (kg): 3.58 kg

Operating conditions

- Altitude: Operation: +12,000ft (3,658m), Nonoperation: +40,000ft (12,192m)
- Temperature range (operation): 0 to 40 °C
- MTBF: 50,000 hrs (excluding backlight) hour(s)
- Relative humidity: 20%-80 %
- Temperature range (storage): -20 to 60 °C

Sustainability

- Environmental and energy: RoHS
- Recyclable packaging material: 100 %
- · Specific Substances: Mercury free

Compliance and standards

• Regulatory Approvals: CB, CE Mark, ICES-003, TUV/ISO9241-307, TUV-BAUART, BSMI, EAC, FCC, MEPS, PSB, VCCI

Cabinet

- Color: White
- Finish: Textured

- * For best output performance, please always ensure that your graphic card is capable of achieving the maximum resolution and refresh rate of this Philips display.
- Response time value equal to SmartResponse
- * MPRT is to adjust brightness for blur reduction, so cannot adjust brightness while MPRT is turned on. To reduce motion blur, LED backlight will strobe synchronously with screen refresh, which may cause noticeable brightness change.
- * MPRT is gaming-optimized mode. Turn on MPRT may cause noticeable screen flickering. It is recommended to turn off when you
- are not using the gaming function. The monitor may look different from feature images.
- * The products and accessories listed on this leaflet may differ by country and region.



Issue date 2024-11-20

Version: 6.6.1

© 2024 Koninklijke Philips N.V. All Rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

DHIID