HP Color LaserJet Pro 4201dw Printer



Colorful productivity. Seamless set up.

Get a blazing fast color printer and easy set up with LaserJet Pro.



This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

Highlights

- Fast print speed (33ppm A4)
- HP Wolf Pro security
- Automatic two-sided printing standard
- High monthly duty cycle (50,000 pages)
- Dual-band WiFi®, Bluetooth® LE, WiFi® Direct

Maximum productivity in full color

- Support your business workteam with this compact, high-performing, color printer, ideal for up to 10
 users.
- Step up your workflow with blazing fast speed to meet high-demand environments.
- Avoid interruptions with Wi-Fi® that intelligently looks for the most stable connection to stay on-line. ⁷
- Look professional on every page with high-quality printing, true-to-life colors and sharp details.

Simple set up.

- Quickly set up your printers so you can focus more on your business.
- $\bullet \quad \text{Streamlined set up makes it easy for your team to set up and get back to what matters}.$

Advance your security with HP Wolf Pro

- Get printer fleet security out of the box. Preconfigured settings mean it's ready when you are.
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Strengthen and simplify compliance. This upgrade/solution applies your business policies across the fleet.

Sustainable printing 4,6,13

- Redesigned Original HP TerraJet Cartridge for reduced plastic use and energy consumption when printing.
- Trim your paper use. Default duplex setting prints on both sides of each page.
- Meet the industry standard for efficiency with Energy Star® rating.
- Reduce your footprint. HP Auto-On/Auto-Off technology optimizes printer energy usage and costs.
- We take recycling full circle. Our toner cartridges reuse plastic and can be mailed back after use. ⁶

Product walkaround

HP Color LaserJet Pro 4201dw

- 1. Automatic 2-sided printing
- 2. Dual-band WIFI® with self heal, USB and Ethernet
- 3. HP Smart app for productivity in your hand
- 4. Designed for workteams of up to 10 users
- 5. Print speeds up to 35 ppm letter/33 ppm A4, 300-sheet standard paper capacity
- 6. Twist and click speed dial with 4-line LCD
- 7. Pre-configured security settings
- 8. More true-to-life colors with HP TerraJet Toner



Accessories, Supplies and Support

Supplies	W2100A HP 210A Black Original LaserJet Toner Cartridge (~ 2,000 pages) W2101A HP 210A Cyan Original LaserJet Toner Cartridge (~1,800) pages W2102A HP 210A Yellow Original LaserJet Toner Cartridge (~1,800 pages) W2103A HP 210A Magenta Original LaserJet Toner Cartridge (~1,800 pages) W2100X HP 210X Black Original LaserJet Toner Cartridge (~7,500 pages) W2101X HP 210X Cyan Original LaserJet Toner Cartridge (~5,500) pages W2101X HP 210X YellowOriginal LaserJet Toner Cartridge (~5,500 pages) W2103X HP 210X Walgontal Cartridge (~5,500 pages) W2103X HP 210X Magenta Original LaserJet Toner Cartridge (~5,500 pages) W2150XC HP Black Contract LaserJet Toner Cartridge (~5,500 pages) W2151XC HP Cyan Contract LaserJet Toner Cartridge (~5,500 pages) W215XC HP Walgenta Contract LaserJet Toner Cartridge (~5,500 pages) W215XC HP Magenta Contract LaserJet Toner Cartridge (~5,500 pages)
Accessories	28N93A HP Color LaserJet Pro 550 Sheet Paper Tray
Service and Support	U51Y4E HP 2 year Next Business Day Onsite Service for Color Laser Jet Pro 420x U51Y5E HP 3 year Next Business Day Onsite Service for Color Laser Jet Pro 420x U51Y6E HP 4 year Next Business Day Onsite Service for Color Laser Jet Pro 420x U51Y7E HP 5 year Next Business Day Onsite Service for Color Laser Jet Pro 420x U51Y8E HP 2 year 4 hour 9x5 Onsite Service for Color Laser Jet Pro 420x U51Y8E HP 3 year 4 hour 9x5 Onsite Service for Color Laser Jet Pro 420x U51Y8E HP 4 year 4 hour 9x5 Onsite Service for Color Laser Jet Pro 420x U51Y8E HP 5 year 4 hour 9x5 Onsite Service for Color Laser Jet Pro 420x U51Y6E HP 5 year 4 hour 9x5 Onsite Service for Color Laser Jet Pro 420x U51Y6E HP 3 year 4 hour 9x5 Onsite Service for Color Laser Jet Pro 420x U51Y6E HP 1 year Post Warranty Next Business Day Onsite Service for Color Laser Jet Pro 420x U51Y6PE HP 1 year Post Warranty Next Business Day Onsite Service for Color Laser Jet Pro 420x U51Y1PE HP 1 year Post Warranty Next Business Day Advanced Exchange Service for Color Laser Jet Pro 420x U51Y6PE HP 1 year Post Warranty Next Business Day Advanced Exchange Service for Color Laser Jet Pro 420x U51Y6PE HP 1 year Post Warranty Return to Depot Service for Color Laser Jet Pro 420x U51Y6PE HP 1 year Post Warranty Return to Depot Service for Color Laser Jet Pro 420x U51Y6PE HP 1 year Post Warranty Return to Depot Service for Color Laser Jet Pro 420x U51Y6PE HP 1 year Post Warranty Return to Depot Service for Color Laser Jet Pro 420x U51Y6PE HP 1 year Post Warranty Return to Depot Service for Color Laser Jet Pro 420x U51Y6PE HP 1 year Post Warranty Return to Depot Service for Color Laser Jet Pro 420x

Technical specifications

recrimeat specimeation	
Model	HP Color LaserJet Pro 4201dw Printer
Product number	4RAB6F
Functions	Print
Control panel	4-line LCD with rotational dial with push button for menu selection
Print	
Print technology	Laser
Print speed	Black (A4, normal): Up to 33 ppm Colour (A4, normal): Up to 33 ppm Colour (A4, normal): Up to 33 ppm Colour (A4, duplex): Up to 29 ipm
First page out	Black (A4, ready): As fast as 9.5 sec Colour (A4, ready): As fast as 10.5 sec; Black (A4, sleep): As fast as 10.2 sec Colour (A4, sleep): As fast as 10.5 sec
Print resolution	Black (best): Up to 600 x 600 dpi; Up to 38,400 x 600 enhanced dpi Colour (best): Up to 600 x 600 dpi; Technology. HP ImageRET 2400
Monthly duty cycle	Up to 50,000 pages A4; Recommended monthly page volume: 750 to 4,000
Printer smart software features	Automatic duplex, collation, watermarks, printable forms, quiet mode, HP premium print quality mode, accepts a variety of paper sizes and types
Standard print languages	HP PCL 6, HP PCL Se, HP PCL Sc, HP Postscript level 3 emulation, PDF, URF, PWG Raster, Native Office
Fonts and typefaces	111 scalable TrueType fonts
Print area	Print margins Top: 4.23 mm, Bottom: 4.23 mm, Left: 4.23 mm, Right: 4.23 mm, Maximum print area: 212 x 352 mm
Duplex printing	Automatic
Fax	
Fax	No
Processor speed	1200 MHz
Connectivity	1200 (11)2
Standard	1 Gigabit Ethernet 10/100/1000 Base-TX network; 1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 Wi-Fi 802.11n; 1 Wi-Fi 802.3az; 1 Wi-Fi Direct; Walk-up USB; Auto-crossover Ethernet
Mobile printing capability	1 digast current or not record to the state of the state
Proone printing capability	·
Supported network protocols	TCP/IP, IPv4, IPv5, Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, Apple ArPinit*, Mopria, IPP Print; Discovery; SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (DHCP, AutolP, Manual), IPv6 (Stateless Link-Local and via Router, Statelfu via DHCPO), SLS secreturiy and Certificate management: SMMP1, SMMP2, SMMP2, ATTHITTS, SYMTPT, STATE ARTHORITY (STATE ARTHORITY AND ARTHORITY
Network capabilities	Yes, via built-in 10/100/1000Base-Tx Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1x, 802.11ac (Wi-Fi S)
Memory	Standard: 512 MB NAND Flash, 512 MB DRAM; Maximum: 512 MB DRAM (Maximum: 512 MB DRAM)
Media handling	<u> </u>
Number of paper trays	Standard: 2: Maximum: 3
Media types	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes
Media size	Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm
Media handling	Standard input: 50-sheet multipurpose tray, 250-sheet input tray Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray
Media weight	60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers)
Input capacity	Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray)
Output capacity	Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets
Compatible operating systems	Windows 11; Windows 10; Windows (Lient OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; Linux; Citrix; Chrome OS
Compatible network operating systems	Windows Server; SAP, Novell; UNIX; Citrix; Linux
	Windows 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional O5 hardware requirements see microsoft.com;
Minimum system requirements	Mac: 2 GB available hard drive space, internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com;
Software included	No software solutions are included in the Box only on http://np.com or http://123.hp.com
Printer management	HP Web JetAdmin Software; Security Manager; HP SNMP Proxy Agent (Part of HP WebJetAdmin); HP WS Pro Proxy Agent (Part of HP WebJetAdmin); Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration; Utility - Driver; Deployment Utility - Managed Printing Administrator)
Dimensions and weight	and and any and approximation and a surface
Printer dimensions (W x D x H)	Minimum 421 x 427 x 288 mm; Maximum: 421 x 636 x 420 mm
Printer weight	**************************************
Operating environment	Temperature 10 to 32.5°C Humidity. 30 to 70% RH (non-condensing)
Storage conditions	Temperature -20 to 40°C
Acoustics ⁶	Temperature: 22.00 (40). Acoustic power emissions: 6.2 B(A) Acoustic pressure emissions: 51 dB(A)
Acoustics	Moduse power emissions or 2.5 (v) Moduse pressure emissions 3.1 days. Requirements 110-volt input valtage: 110 to 127 WG (+f-10%), 50/66 Hz (+f-3 Hz); 220-volt input voltage: 220 to 240 WG (+f-10%), 50/66 Hz (+f-3 Hz); Not dual voltage, power supply varies by part number with # Option code
Power ^s	identifier): Consumption: 580 watts (active printing), 17 watts (ready), 0.7 watts (sleep), 0.7 watts (HP auto-off/auto-on), 0.07 watts (auto-off/manual-on), 0.07 watts (off); Typical Electricity Consumption (TEC): 0.395 kWh/Week (Energy Star 3.0);
Energy savings feature technology	Power supply type: Internal (built-in) Power Supply HP Auto-On/Auto-Off Technology; Instant-on Technology
Energy savings reacure technology	In the substitution of the standards, and substitution in the standards, and substitution in the standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China UL/LU U.SC./anadards, RMC Muchardship, TUM value of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China UL/LU U.SC./anadards, RMC Muchardship, TUM value of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China UL/LU U.SC./anadards, RMC Muchardship, TUM value of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China UL/LU U.SC./anadards, RMC Muchardship, TUM value of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China UL/LU U.SC./anadards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China UL/LU U.SC./anadards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China UL/LU U.SC./anadards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China UL/LU U.SC./anadards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China UL/LU U.SC./anadards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China UL/LU U.SC./anadards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China UL/LU U.SC./anadards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China UL/LU U.SC./anadards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China UL/LU U.SC./anadards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China UL/LU U.SC./anadards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China UL/LU U.SC./anadards, Metrology and Inspection Minist
	OCTUC LOS Collados, North-Vescaland, or Verbrand Los Plant Carlot Received International Class of England Computer Vision and Service Vision and S
Certifications	ENG 1000-3-3:2013-41:2019 - 4:22021; FLC 47 CFR Part 1S Class B, ICES-003, ISSUE 7 Class B. Other EMC approvals as required by individual countries. If ECO Declaration: EPEAT "Silver Australia; EPEAT" Silver Class B, ICES-003, ISSUE 7 Class B. Other EMC approvals as required by individual countries. Blue Angel compliant" No, Ipsace refer to the ECI (Ecclabel Comparison Information) document Telecom compliance Telecom Wireless: FCC 47 CFR Part 1S Subpart C & E (UNI); FCC 47 CFR Part 1S Subpart C & E. (ENSES) Sen Issue 4, RSS 247 Issue 2, 2017 & RSS 102 Issue 5, 2015; EN 301 489-1 V.2.2.;
Sustainable impact specifications	ENERGY STAR® certified; EPEAT® registered; Contains post-consumer recycled plastic
Country of origin	Made in Vietnam
What's in the box ¹	4RA86F HP Color LaserJet Pro 4201dw; 4 preinstalled introductory HP LaserJet Toner Cartridges (Black: ~1,200 pages; Cyan, Magenta, Yellow: ~1,000 pages); In-box documentation (Reference guide; Setup Card; Regulatory flyer); HP printer software is available at www.hp.com/support; Power cord; USB cable. ~1,200 pages black; ~1,000 pages cyan, magenta, yellow composite yield
Warranty	One-year Bench/Depot Repair warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4E; vty ID A033)
Engine life	100000
	

Footnotes

- 1 Requires HP app download available at www.hp.com/go/mobileprinting. Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only. List of supported operating systems available in app stores. See details at www.hpsmart.com.
- ³ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- ⁴ HP calculations based on ENERGY STAR® normalized TEC data comparing HP LaserJet 200-500 series printers at launch. See hp.com/ecosmart
- ⁵ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade
- 6 Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/recycle.
- ⁸ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.
- 13 Plastic reduction calculated per page based on cartridge weight in grams and stated yield in HP Terralet Cartridges compared to predecessors. See hp.com/Terralet/plasticreductions.
- 14 Standard print mode for HP Color LaserJet Pro series with HP TerraJet technology compared to predecessors. See hp.com/TerraJet/colors.
- 15 HP calculations based on Energy Star® normalized TEC data in HP TerraJet Cartridges compared to predecessors. See hp.com/TerraJet/energysaving.

Technical specifications disclaimers

- 1 For yield information on the cartridge(s) included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.

 Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield
- ³ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- ⁴ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). ENERGY STAR TEC data based on 115V test result; Blue Angel TEC based on 230V test result.
- Values based on 115V test results based on Energy Star test method.
- ⁶ Configuration tested: base model, simplex printing, A4 paper at an average of 34 ppm.
- ⁷ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.













The product could differ from the images shown. © 2014 Hewlett-Packard Development Company, L.P. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. Air Print and the Air Print logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

