



POS Terminal

SPS-1000/1000V



Best Features

POS System Configuration

- You can organize a POS system consisting of multiple SPS-1000 terminals and peripherals in a fast and reliable Ethernet network.

POS S/W Functions

- Pop-up windows for easy operation
- Employee Timekeeping
- Inventory Control
- Customizable to fit your business
- Submit multiple reports

Connectivity SPS-1000 Terminal With Multiple Peripherals

- The peripheral devices, such as kitchen printers, kitchen video, scanners, PCs are connected to the RS-232C port on the SPS-1000 terminal.
- The SPS-1000 terminal has the flexibility of connection with up to 7 peripherals.



SPS-1000/1000V

The SPS-1000/1000V allows a Manager to cut costs while gaining several benefits. The manager can process sales transactions with 32 bit MPU, monitor real time point-of-sales with a built-in Ethernet network, use a POS system expandable up to 32 registers, connect to a maximum of 7 peripheral devices, and have multiple options available (memory expansion, clerk lock, clerk key, and RS-232C Board). This machine provides your employees with many flat keys, S/W easily learned and operated, display visibility control, and modular design easily moved to any place.

Basic Specifications

MODEL NAME		SPS-1000	SPS-1000V
KEYBOARD		169 Flat	169 Flat
DISPLAY	OPERATOR	320 X 240 LCD (40char. X 16 Line)	20 char. X 2 Line
	CUSTOMER	20 char. X 1 Line	10-Digit VFD
MEMORY	ROM	8Mbit(Flash)	8Mbit(Flash)
	RAM	4Mbit(Default), 16Mbit(Option)	4Mbit(Default), 16Mbit(Option)
MEMORY PROTECTION BATTERY		90 Days	90 Days
INTERFACE	SERIAL	3 Ports (RS-232C), Optional 4 Ports	3 Ports (RS-232C), Optional 4 Ports
	IRC	1 Port (Ethernet)	1 Port (Ethernet)
	DRAWER	3 Ports	3 Ports
POWER REQUIREMENT		120V/60HZ, 230V/50HZ	120V/60HZ, 230V/50HZ
POWER CONSUMPTION		Peak(18W), Reg(15W)	Peak(18W), Reg(15W)
ENVIRONMENT	TEMPERATURE	32°F-104°F(0°C-40°C)	32°F-104°F(0°C-40°C)
CONDITION	HUMIDITY	30%-80% RH	30%-80% RH
DIMENSION (W x D x H, mm)	SET	291 x 387 x 219	291 x 387 x 219
WEIGHT		5.1 Kg	5.1 Kg
FACTORY OPTION		Expanded I/F Card(RS-232C X 4)	Expanded I/F Card(RS-232C X 4)
		Expanded Memory Card (8Mbit, 16Mbit)	Expanded Memory Card (8Mbit, 16Mbit)
		Cash Drawer (DR-84)	Cash Drawer (DR-84)
		Clerk Key(5, 10, 15PCS)	Clerk Key(5, 10, 15PCS)

